

P.č.	Kód žiaka	Z P S	S ú ť a ť	Dosiiahnuté body za												BODY SPOLU	Kód
				Za správa nie	8. ročník		9.ročník		Monitor			ZŠ	Prijímacie pohovory				
					Pri	Body	Pri	Body	%	%	Body		Σ	SJ	CJ		
												Σ					
1	5171			0	1,0	20	1,0	20	92,0	90,0	10,0	50	0	0,0	0,0	50,0	P1
2	5354			0	1,0	20	1,0	20	92,0	90,0	10,0	50	0	0,0	0,0	50,0	P1
3	5191			0	1,0	20	1,0	20	92,0	80,0	9,0	49	28	28,5	56,5	105,5	PP
4	5434		5	0	1,3	19	1,0	20	96,0	80,0	9,0	48	26	24,5	50,5	103,5	PP
5	5164			0	1,1	20	1,0	20	84,0	95,0	10,0	50	23	28,5	51,5	101,5	PP
6	5321			0	1,0	20	1,0	20	80,0	80,0	8,0	48	23	29,0	52,0	100,0	PP
7	5461		1	0	1,0	20	1,0	20	80,0	85,0	9,0	49	27	24,0	51,0	100,0	PP
8	5134			0	1,5	17	1,3	19	84,0	85,0	10,0	46	22	30,0	52,0	98,0	PP
9	5034			0	1,3	19	1,5	17	88,0	90,0	10,0	46	24	27,0	51,0	97,0	PP
10	5074			0	1,1	20	1,1	20	84,0	95,0	10,0	50	24	23,0	47,0	97,0	PP
11	5314			0	1,1	20	1,1	20	80,0	65,0	8,0	48	25	23,0	48,0	96,0	PP
12	5091			0	1,3	19	1,4	18	48,0	50,0	6,0	43	22	29,0	51,0	94,0	PP
13	5274			0	1,8	15	1,5	17	88,0	70,0	9,0	41	25	27,5	52,5	93,5	PP
14	5041			0	1,9	14	1,6	16	84,0	90,0	10,0	40	24	28,0	52,0	92,0	PP
15	5334			0	1,5	17	1,4	18	80,0	80,0	8,0	43	23	26,0	49,0	92,0	PP
16	5084			0	1,1	20	1,0	20	92,0	75,0	9,0	49	26	17,0	43,0	92,0	PP
17	5494			0	1,8	15	1,8	15	88,0	75,0	9,0	39	22	30,0	52,0	91,0	PP
18	5444			0	1,4	18	1,3	19	88,0	75,0	9,0	46	24	21,0	45,0	91,0	PP
19	5491			0	1,8	15	1,4	18	80,0	75,0	8,0	41	22	27,5	49,5	90,5	PP
20	5451			0	1,6	16	1,6	16	72,0	65,0	8,0	40	22	27,5	49,5	89,5	PP
21	5104			0	1,6	16	1,3	19	72,0	45,0	7,0	42	22	25,5	47,5	89,5	PP
22	5244			0	1,6	16	1,6	16	84,0	80,0	9,0	41	20	27,5	47,5	88,5	PP
23	5271			0	1,3	19	1,0	20	76,0	70,0	8,0	47	17	24,5	41,5	88,5	PP
24	5304			0	1,4	18	1,4	18	80,0	60,0	7,0	43	24	21,0	45,0	88,0	PP
25	5081			0	1,0	20	1,0	20	92,0	65,0	9,0	49	24	15,0	39,0	88,0	PP
26	5411			0	1,6	16	1,8	15	76,0	60,0	7,0	38	23	25,0	48,0	86,0	PP
27	5424			0	1,6	16	1,5	17	64,0	55,0	7,0	40	21	25,0	46,0	86,0	PP
28	5071			0	1,3	19	1,1	20	68,0	65,0	8,0	47	20	18,0	38,0	85,0	PP
29	5001			0	1,6	16	1,5	17	64,0	75,0	8,0	41	23	20,0	43,0	84,0	PP
30	5124			0	1,4	18	1,6	16	68,0	70,0	8,0	42	16	25,0	41,0	83,0	PP
31	5141			0	1,9	14	1,8	15	72,0	45,0	7,0	36	19	27,5	46,5	82,5	PP
32	5014			0	1,9	14	1,6	16	88,0	80,0	9,0	39	20	23,5	43,5	82,5	PP
33	5231			0	2,0	13	2,1	12	40,0	65,0	6,0	31	24	26,0	50,0	81,0	PP
34	5374			0	1,9	14	1,9	14	80,0	80,0	8,0	36	18	26,5	44,5	80,5	PP
35	5501		5	0	1,9	14	1,9	14	76,0	50,0	7,0	35	27	13,5	40,5	80,5	PP
36	5184			0	1,9	14	1,4	18	80,0	90,0	9,0	41	19	20,0	39,0	80,0	PP
37	5331			0	1,4	18	1,8	15	76,0	75,0	8,0	41	18	21,0	39,0	80,0	PP
38	5421			0	1,4	18	1,5	17	52,0	50,0	6,0	41	17	22,0	39,0	80,0	PP
39	5211			0	1,6	16	1,8	15	72,0	50,0	7,0	38	26	14,0	40,0	78,0	PP
40	5484			0	1,8	15	1,8	15	68,0	45,0	7,0	37	12	28,0	40,0	77,0	PP
41	5101			0	1,5	17	1,6	16	68,0	50,0	7,0	40	17	18,5	35,5	75,5	PP
42	5064			0	1,5	17	1,5	17	64,0	40,0	6,0	40	14	21,0	35,0	75,0	PP
43	5384			0	1,8	15	1,5	17	76,0	30,0	6,0	38	18	18,5	36,5	74,5	PP

44	5214		0	1,8	15	1,6	16	72,0	60,0	7,0	38	21	15,0	36,0	74,0	PP
45	5031		0	1,5	17	1,5	17	64,0	80,0	8,0	42	19	13,0	32,0	74,0	PP
46	5351		0	1,8	15	1,9	14	68,0	60,0	7,0	36	21	16,5	37,5	73,5	PP
47	5481		0	1,9	14	1,6	16	64,0	45,0	7,0	37	17	19,5	36,5	73,5	PP
48	5301		0	2,3	11	2,1	12	72,0	50,0	7,0	30	23	20,0	43,0	73,0	PP
49	5394		0	1,6	16	1,3	19	72,0	80,0	8,0	43	22	8,0	30,0	73,0	PP
50	5061		0	2,4	10	1,6	16	68,0	60,0	7,0	33	19	20,5	39,5	72,5	PP
51	5254		0	1,8	15	1,9	14	72,0	30,0	6,0	35	16	21,5	37,5	72,5	PP
52	5011		0	1,6	16	1,8	15	36,0	40,0	4,0	35	16	21,5	37,5	72,5	PP
53	5054		0	2,1	12	2,1	12	68,0	25,0	6,0	30	18	24,0	42,0	72,0	NM
54	5114		0	1,6	16	1,4	18	68,0	75,0	8,0	42	18	12,0	30,0	72,0	NM
55	5121		0	2,3	11	1,9	14	56,0	35,0	5,0	30	18	23,5	41,5	71,5	NM
56	5414		0	2,3	11	2,3	11	68,0	45,0	7,0	29	16	26,0	42,0	71,0	NM
57	5204		0	2,1	12	2,3	11	80,0	65,0	8,0	31	22	18,0	40,0	71,0	NM
58	5294		0	2,0	13	1,8	15	48,0	50,0	6,0	34	17	20,0	37,0	71,0	NM
59	5361		0	1,9	14	1,5	17	52,0	35,0	5,0	36	20	14,5	34,5	70,5	NM
60	5044		0	2,4	10	2,1	12	48,0	45,0	6,0	28	19	23,0	42,0	70,0	NM
61	5364		0	1,8	15	1,5	17	76,0	40,0	6,0	38	13	19,0	32,0	70,0	NM
62	5284		0	1,6	16	1,6	16	64,0	30,0	6,0	38	18	14,0	32,0	70,0	NM
63	5471		0	2,9	6	2,5	9	64,0	45,0	7,0	22	22	25,0	47,0	69,0	NM
64	5181		0	2,3	11	1,9	14	60,0	35,0	5,0	30	17	22,0	39,0	69,0	NM
65	5454		0	2,0	13	1,9	14	84,0	65,0	9,0	36	16	17,0	33,0	69,0	NM
66	5291		0	2,3	11	2,3	11	52,0	45,0	6,0	28	16	23,0	39,0	67,0	NM
67	5264		0	2,0	13	2,1	12	72,0	55,0	7,0	32	15	19,5	34,5	66,5	NM
68	5404		0	2,1	12	2,1	12	68,0	65,0	8,0	32	14	19,5	33,5	65,5	NM
69	5261		0	2,4	10	2,1	12	60,0	30,0	5,0	27	16	21,0	37,0	64,0	NM
70	5161		0	2,1	12	1,9	14	64,0	70,0	8,0	34	15	15,0	30,0	64,0	NM
71	5174		0	2,8	7	2,9	6	60,0	60,0	6,0	19	17	25,0	42,0	61,0	NM
72	5391		0	1,9	14	1,5	17	76,0	55,0	7,0	38	15	8,0	23,0	61,0	NM
73	5344		0	2,0	13	2,0	13	80,0	65,0	8,0	34	19	7,5	26,5	60,5	NM
74	5154		0	2,6	8	2,9	6	44,0	60,0	6,0	20	14	25,5	39,5	59,5	NM
75	5051		0	2,3	11	2,0	13	88,0	85,0	10,0	34	12	13,5	25,5	59,5	NM
76	5324		0	2,5	9	2,3	11	60,0	40,0	5,0	25	13	20,0	33,0	58,0	NM
77	5371		0	2,0	13	2,4	10	32,0	85,0	7,0	30	14	10,0	24,0	54,0	NM
78	5341		0	2,6	8	2,1	12	64,0	60,0	7,0	27	17	9,5	26,5	53,5	NM
79	5251		0	2,4	10	2,5	9	64,0	70,0	8,0	27	13	13,0	26,0	53,0	NM
80	5241		0	2,8	7	2,6	8	28,0	50,0	5,0	20	15	17,0	32,0	52,0	NM
81	5221		0	2,3	11	2,4	10	48,0	60,0	6,0	27	13	11,5	24,5	51,5	NM
82	5111		0	2,6	8	2,4	10	76,0	40,0	6,0	24	18	8,0	26,0	50,0	NM
83	5504		0	2,5	9	2,0	13	44,0	40,0	5,0	27	14	8,0	22,0	49,0	NM
84	5441		0	3,0	5	3,0	5	44,0	50,0	6,0	16	13	16,5	29,5	45,5	NM
85	5281		0	3,0	5	2,9	6	48,0	35,0	5,0	16	10	17,0	27,0	43,0	NM
86	5431		0	2,8	7	2,9	6	40,0	15,0	3,0	16	14	12,5	26,5	42,5	NM
87	5224		0	2,6	8	2,6	8	60,0	60,0	6,0	22	13	7,0	20,0	42,0	NM
88	5201		0	2,9	6	3,1	4	48,0	30,0	5,0	15	10	15,0	25,0	40,0	NM
89	5144		0	3,0	5	2,9	6	52,0	35,0	5,0	16	11	8,0	19,0	35,0	NM
90	5024		0	2,5	9	2,1	12	64,0	45,0	7,0	28	10	3,0	13,0	41,0	N5
91	5131		0	2,0	13	2,5	9	60,0	20,0	4,0	26	11	3,0	14,0	40,0	N5
92	5474		0	2,8	7	3,3	3	56,0	30,0	5,0	15	19	5,0	24,0	39,0	N5
93	5194		0	2,8	7	2,9	6	32,0	20,0	3,0	16	15	3,0	18,0	34,0	N5

94	5151			0	2,6	8	2,6	8	32,0	30,0	4,0	20	7	1,0	8,0	28,0	<b>N5</b>
95	5381			0	1,0	20	1,1	20	92,0	85,0	10,0	50	0	0,0	0,0	50,0	<b>N1</b>
96	5401			0	1,1	20	1,1	20	76,0	70,0	8,0	48	0	0,0	0,0	48,0	<b>N1</b>
97	5234			0	1,5	17	1,4	18	72,0	90,0	9,0	44	0	0,0	0,0	44,0	<b>N1</b>
98	5094			0	1,6	16	1,5	17	88,0	75,0	9,0	42	0	0,0	0,0	42,0	<b>N1</b>
99	5021			0	1,5	17	1,4	18	52,0	70,0	7,0	42	0	0,0	0,0	42,0	<b>N1</b>
100	5311			0	2,0	13	2,3	11	72,0	60,0	7,0	31	0	0,0	0,0	31,0	<b>N1</b>
101	5004			0	2,1	12	2,4	10	52,0	75,0	7,0	29	0	0,0	0,0	29,0	<b>N1</b>
102	5464			0	2,3	11	2,4	10	24,0	20,0	3,0	24	0	0,0	0,0	24,0	<b>N1</b>

Vysvetlivky: kód prijatia

P1	Prijatý - bez prijímacích skúšok
PP	Prijatý - prijímacie skúšky
NM	Neprijatý - nedostatok miesta
N5	Neprijatý - nesplnil kritéria/neurobil prijímaciu skúšku
N1	Neprijatý - nezúčastnil sa prijímacej skúšky