

P.č.	Kód žiaka	Z P S	S ú ť a ť	Dosiahnuté body za											BODY SPOLU	Kód	
				Za správa nie	8. ročník		9.ročník		Monitor			ZŠ	Prijímacie pohovory				
					Pri	Body	Pri	Body	SJL	MAT	Body		SJ	M			Σ
												%					
1	6354		5	0	1	20	1	20	84,0	85,0	10	55	25	26,0	51,0	106,0	PP
2	6361			0	1,3	19	1,25	19	84,0	90,0	10	48	24	28,0	52,0	100,0	PP
3	6131			0	1,4	18	1,13	20	80,0	75,0	8	46	27	23,0	50,0	96,0	PP
4	6374			0	1	20	1,25	19	64,0	80,0	8	47	22	26,0	48,0	95,0	PP
5	6451			0	1	20	1,25	19	84,0	60,0	8	47	23	25,0	48,0	95,0	PP
6	6414			0	1,4	18	1,25	19	88,0	75,0	9	46	23	24,0	47,0	93,0	PP
7	6034			0	1	20	1	20	84,0	75,0	9	49	20	21,0	41,0	90,0	PP
8	6241			0	1,3	19	1	20	76,0	70,0	8	47	23	17,0	40,0	87,0	PP
9	6344			0	1,4	18	1,63	16	84,0	65,0	9	43	22	19,0	41,0	84,0	PP
10	6244			0	1,8	15	1,5	17	88,0	70,0	9	41	25	17,0	42,0	83,0	PP
11	6061			0	1,1	20	1	20	76,0	75,0	8	48	18	17,0	35,0	83,0	PP
12	6011			0	1,5	17	1,5	17	64,0	80,0	8	42	20	20,0	40,0	82,0	PP
13	6464			0	1,6	16	1,75	15	84,0	65,0	9	40	23	18,0	41,0	81,0	PP
14	6494			0	1,8	15	1,38	18	80,0	75,0	8	41	19	21,0	40,0	81,0	PP
15	6341			0	1,9	14	2,13	12	68,0	80,0	8	34	19	27,0	46,0	80,0	PP
16	6124			0	1,6	16	1,13	20	88,0	50,0	8	44	25	11,0	36,0	80,0	PP
17	6321			0	1,3	19	1,25	19	76,0	65,0	8	46	20	14,0	34,0	80,0	PP
18	6094			0	1,8	15	1,5	17	56,0	60,0	6	38	21	20,0	41,0	79,0	PP
19	6274			0	1,3	19	1,25	19	64,0	40,0	6	44	21	14,0	35,0	79,0	PP
20	6474			0	1,8	15	1,63	16	80,0	65,0	8	39	19	20,0	39,0	78,0	PP
21	6411			0	1,3	19	1,5	17	60,0	60,0	6	42	17	19,0	36,0	78,0	NM
22	6084			0	1,3	19	1	20	72,0	70,0	8	47	21	10,0	31,0	78,0	NM
23	6221			0	1,4	18	1,5	17	52,0	60,0	6	41	14	21,0	35,0	76,0	NM
24	6264			0	1,9	14	1,63	16	64,0	65,0	8	38	18	18,0	36,0	74,0	NM
25	6461			0	2	13	1,88	14	56,0	55,0	6	33	24	16,0	40,0	73,0	NM
26	6261			0	1,6	16	1,63	16	64,0	30,0	6	38	21	14,0	35,0	73,0	NM
27	6404			0	1,6	16	1,63	16	72,0	75,0	8	40	14	19,0	33,0	73,0	NM
28	6281			0	1,8	15	1,38	18	88,0	60,0	8	41	18	14,0	32,0	73,0	NM
29	6441			0	2	13	1,63	16	64,0	55,0	7	36	23	13,0	36,0	72,0	NM
30	6481			0	1,9	14	1,75	15	64,0	80,0	8	37	15	20,0	35,0	72,0	NM
31	6491			0	1,8	15	1,75	15	68,0	45,0	7	37	17	18,0	35,0	72,0	NM
32	6151			0	2,4	10	2	13	64,0	70,0	8	31	17	23,0	40,0	71,0	NM
33	6424			0	2,1	12	2,13	12	68,0	70,0	8	32	20	18,0	38,0	70,0	NM
34	6134			0	2	13	2,13	12	88,0	75,0	9	34	22	14,0	36,0	70,0	NM
35	6394			0	1,8	15	1,88	14	60,0	60,0	6	35	14	21,0	35,0	70,0	NM
36	6531			0	2	13	1,63	16	72,0	55,0	7	36	18	16,0	34,0	70,0	NM
37	6304			0	2	13	1,88	14	80,0	30,0	6	33	23	13,0	36,0	69,0	NM
38	6214			0	2,4	10	2,13	12	60,0	65,0	7	29	19	20,0	39,0	68,0	NM
39	6431			0	1,9	14	2,13	12	60,0	80,0	7	33	19	16,0	35,0	68,0	NM
40	6334			0	2,4	10	2	13	68,0	60,0	7	30	21	16,0	37,0	67,0	NM
41	6064			0	2	13	1,5	17	44,0	40,0	5	35	15	17,0	32,0	67,0	NM
42	6224			-5	2,5	4	2	13	84,0	45,0	8	25	22	19,0	41,0	66,0	NM
43	6311			0	2,1	12	2,13	12	76,0	45,0	7	31	16	19,0	35,0	66,0	NM
44	6284			0	2,3	11	1,88	14	92,0	40,0	7	32	23	11,0	34,0	66,0	NM
45	6301			0	2	13	1,88	14	56,0	40,0	5	32	16	18,0	34,0	66,0	NM
46	6254			0	1,6	16	1,75	15	68,0	35,0	6	37	16	13,0	29,0	66,0	NM
47	6054			0	1,8	15	1,5	17	76,0	20,0	5	37	20	9,0	29,0	66,0	NM
48	6031			0	2	13	1,63	16	64,0	45,0	7	36	18	11,0	29,0	65,0	NM
49	6234			0	2,6	8	2,13	12	68,0	70,0	8	28	20	16,0	36,0	64,0	NM

50	6051			0	2	13	1,75	15	64,0	50,0	7	35	17	12,0	29,0	64,0	NM
51	6121			0	1,9	14	2,25	11	64,0	50,0	7	32	17	14,0	31,0	63,0	NM
52	6091			0	2	13	2	13	52,0	45,0	6	32	16	15,0	31,0	63,0	NM
53	6144			0	2	13	1,88	14	64,0	80,0	8	35	17	11,0	28,0	63,0	NM
54	6044			0	1,8	15	1,38	18	76,0	40,0	6	39	18	6,0	24,0	63,0	NM
55	6324			0	2,4	10	2,13	12	72,0	75,0	8	30	12	20,0	32,0	62,0	NM
56	6521			0	2,5	9	1,88	14	72,0	55,0	7	30	17	15,0	32,0	62,0	NM
57	6524			0	2,3	11	2	13	64,0	25,0	6	30	17	15,0	32,0	62,0	NM
58	6204			0	1,8	15	2,5	9	54,2	70,0	7	31	15	16,0	31,0	62,0	NM
59	6434			0	2,1	12	2,25	11	64,0	65,0	8	31	16	14,0	30,0	61,0	NM
60	6401			0	1,9	14	1,88	14	60,0	60,0	6	34	12	15,0	27,0	61,0	NM
61	6211			0	1,8	15	1,75	15	72,0	45,0	7	37	12	12,0	24,0	61,0	NM
62	6041			0	2	13	2	13	68,0	45,0	7	33	15	12,0	27,0	60,0	NM
63	6514			0	2	13	1,88	14	72,0	35,0	6	33	12	15,0	27,0	60,0	NM
64	6081			0	2	13	1,75	15	72,0	55,0	7	35	19	6,0	25,0	60,0	NM
65	6001			0	2	13	2	13	64,0	20,0	5	31	17	11,0	28,0	59,0	NM
66	6024			0	2,1	12	2,5	9	52,0	55,0	6	27	12	19,0	31,0	58,0	NM
67	6201			0	2	13	2,13	12	80,0	45,0	7	32	15	11,0	26,0	58,0	NM
68	6534			0	1,8	15	2	13	64,0	20,0	5	33	17	8,0	25,0	58,0	NM
69	6331			0	3,3	3	2,63	8	84,0	70,0	9	20	15	22,0	37,0	57,0	NM
70	6181			0	2,3	11	2	13	88,0	70,0	9	33	16	8,0	24,0	57,0	NM
71	6191			0	2	13	1,88	14	64,0	40,0	6	33	15	9,0	24,0	57,0	NM
72	6104			0	2,1	12	2,5	9	80,0	40,0	6	27	17	12,0	29,0	56,0	NM
73	6141			0	1,9	14	2,13	12	72,0	35,0	6	32	11	13,0	24,0	56,0	NM
74	6184			0	1,6	16	2	13	84,0	65,0	9	38	12	6,0	18,0	56,0	NM
75	6504			0	2,8	7	2,88	6	80,0	60,0	7	20	14	21,0	35,0	55,0	NM
76	6101			0	2	13	2,5	9	64,0	35,0	6	28	17	10,0	27,0	55,0	NM
77	6271			0	2,3	11	2,25	11	52,0	45,0	6	28	16	11,0	27,0	55,0	NM
78	6074			0	2	13	2,25	11	60,0	45,0	6	30	13	12,0	25,0	55,0	NM
79	6454			0	2,4	10	2,63	8	44,0	35,0	5	23	15	16,0	31,0	54,0	NM
80	6021			0	2,5	9	2,38	10	28,0	35,0	4	23	18	13,0	31,0	54,0	NM
81	6511			0	2,5	9	2,38	10	48,0	50,0	6	25	16	13,0	29,0	54,0	NM
82	6421			0	2,6	8	2,25	11	56,0	45,0	6	25	16	12,0	28,0	53,0	NM
83	6071			0	2,5	9	2,13	12	56,0	55,0	6	27	11	14,0	25,0	52,0	NM
84	6384			0	2,1	12	2,13	12	48,0	15,0	4	28	16	7,0	23,0	51,0	NM
85	6004			0	2,5	9	2,5	9	60,0	60,0	6	24	14	12,0	26,0	50,0	NM
86	6251			0	2,3	11	2,75	7	64,0	40,0	6	24	15	11,0	26,0	50,0	NM
87	6291			0	1,9	14	2,25	11	40,0	30,0	4	29	10	10,0	20,0	49,0	NM
88	6501			0	2,6	8	2,75	7	72,0	30,0	6	21	12	15,0	27,0	48,0	NM
89	6381			0	2,1	12	2,75	7	48,0	35,0	5	24	11	13,0	24,0	48,0	NM
90	6364			0	2,3	11	2,13	12	48,0	20,0	4	27	14	7,0	21,0	48,0	NM
91	6174			0	3,5	2	3	5	80,0	65,0	8	15	20	12,0	32,0	47,0	NM
92	6314			0	2,6	8	2,63	8	52,0	40,0	5	21	12	12,0	24,0	45,0	NM
93	6484			0	2,6	8	2,63	8	56,0	35,0	5	21	12	12,0	24,0	45,0	NM
94	6171			0	2,6	8	2,88	6	64,0	45,0	7	21	15	8,0	23,0	44,0	NM
95	6154			0	2,6	8	2,63	8	52,0	30,0	5	21	16	7,0	23,0	44,0	NM
96	6231			0	3	5	3,13	4	64,0	25,0	6	15	14	7,0	21,0	36,0	NM
97	6164			-5	3,3	-2	3	5	64,0	5,0	4	7	15	11,0	26,0	33,0	NM
98	6161			-5	3	5	3,13	-1	68,0	45,0	7	11	12	10,0	22,0	33,0	NM
99	6351			0	3,3	3	3,25	3	60,0	35,0	5	11	10	12,0	22,0	33,0	NM
100	6471			0	1,1	20	1	20	96,0	90,0	10	50	0	0,0	0,0	50,0	P1x
101	6114			0	1	20	1	20	84,0	95,0	10	50	0	0,0	0,0	50,0	N1
102	6294			0	1,1	20	1,13	20	92,0	65,0	9	49	0	0,0	0,0	49,0	N1
103	6391			0	1	20	1,13	20	72,0	70,0	8	48	0	0,0	0,0	48,0	N1
104	6194			0	1,5	17	1,38	18	52,0	45,0	6	41	0	0,0	0,0	41,0	N1
105	6014			0	2,1	12	2,38	10	52,0	65,0	7	29	0	0,0	0,0	29,0	N1

106	6444		0	1,8	15	2	13	0,0	0,0	0	28	0	0,0	0,0	28,0	N1
-----	------	--	---	-----	----	---	----	-----	-----	---	----	---	-----	-----	------	----

Vysvetlivky: kód prijatia

P1	Prijatý - bez prijímacích skúšok
PP	Prijatý - prijímacie skúšky
NM	Neprijatý - nedostatok miesta
N1	Neprijatý - nezúčastnil sa prijímacej skúšky